

# VERIFICATION

of conformity with European Directives

Order No. JSH 0405590

Type of equipment Split Type Air Conditioner

Applicant /Manufacturer Shanghai Shining Air-conditioner Manufacture Co.,Ltd.  
No. 188, Qijin Road, Jinhui Town, Fengxian District  
Shanghai 201404, P.R.China

Manufacturing site Shanghai Shining Air-conditioner Manufacture Co.,Ltd.  
No. 188, Qijin Road, Jinhui Town, Fengxian District  
Shanghai 201404, P.R.China

Type designation KFR-120DW; KF-120DW; KFR-100DW; KF-100DW; KFR-140DW; KF-140DW

Technical data See Attachment.

The submitted sample of the above equipment has been tested for CE marking according to the following European Directives:

- the EMC directive ( 89/336/EEC amended by 93/68/EEC)

Standard(s) used for showing compliance with the essential requirements in the specified directive(s):

Standard(s)	Test report(s)	Issued by	Date(s)
EN55014-1:2000/+A1:2001/+A2:2002 EN55014-2:1997/+A1:2001 EN61000-3-2: 2000 EN 61000-3-3:1995/+A1:2001 EN 61000-3-11 (2000)	Ref No. JSH0405590-006	Intertek Testing Services Shanghai Ltd.	June 11, 2004

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the specified EU Directive(s).

After preparation of the necessary technical documentation as well as the conformity declaration the CE marking as shown below can be affixed on the equipment. Other relevant Directives have to be observed.

NOTE: This verification is part of the full test report and should be read in conjunction with it.

Shanghai, June 11, 2004



  
STEVE LI  
EMC MANAGER

Intertek, ETL SEMKO

Building No.86, 1198 Qinzhou Road (North), Shanghai 200233, China  
Tel: 86 21 6495 6565 Fax: 86 21 6495 6263 www.intertek-etlsemko.com





# Attachment

Order number: JSH 0405590

**KFR-120DW:** 400V~3N, 50Hz, Cooling rated input: 4800W/8.5A, Heating rated input: 4500W/8A, R407C/3200g, Class I, IP 24(outdoor unit), Compressor model: C-SBN373H8A (Sanyo)

**KF-120DW:** 400V~3N, 50Hz, Cooling rated input: 4800W/8.5A, R407C/3200g, Class I, IP 24(outdoor unit), Compressor model: C-SBN373H8A (Sanyo)


**KFR-100DW:** 400V~3N, 50Hz, Cooling rated input: 4800W/8.5A, Heating rated input: 4500W/8A, R407C/3200g, Class I, IP 24(outdoor unit), Compressor model: C-SBN373H8A (Sanyo)

**KF-100DW:** 400V~3N, 50Hz, Cooling rated input: 4800W/8.5A, R407C/3200g, Class I, IP 24(outdoor unit), Compressor model: C-SBN373H8A (Sanyo)

**KFR-140DW:** 400V~3N, 50Hz, Cooling rated input: 4800W/8.5A, Heating rated input: 4500W/8A, R407C/3200g, Class I, IP 24(outdoor unit), Compressor model: C-SBN373H8A (Sanyo)

**KF-140DW:** 400V~3N, 50Hz, Cooling rated input: 4800W/8.5A, R407C/3200g, Class I, IP 24(outdoor unit), Compressor model: C-SBN373H8A (Sanyo)

Shanghai, June 11, 2004



STEVE LI  
EMC MANAGER



Intertek, ETL SEMKO

Building No.86, 1198 Qinzhou Road (North), Shanghai 200233, China  
Tel: 86 21 6495 6565 Fax: 86 21 6495 6263 [www.intertek-etlsemko.com](http://www.intertek-etlsemko.com)



**KFR-120DW:** 400V~3N, 50Hz, Cooling rated input: 4800W/8.5A, Heating rated input: 4500W/8A, R407C/3200g, Class I, IP 24(outdoor unit), Compressor model: C-SBN373H8A (Sanyo)

**KF-120DW:** 400V~3N, 50Hz, Cooling rated input: 4800W/8.5A, R407C/3200g, Class I, IP 24(outdoor unit), Compressor model: C-SBN373H8A (Sanyo)

**KFR-100DW:** 400V~3N, 50Hz, Cooling rated input: 4800W/8.5A, Heating rated input: 4500W/8A, R407C/3200g, Class I, IP 24(outdoor unit), Compressor model: C-SBN373H8A (Sanyo)

**KF-100DW:** 400V~3N, 50Hz, Cooling rated input: 4800W/8.5A, R407C/3200g, Class I, IP 24(outdoor unit), Compressor model: C-SBN373H8A (Sanyo)

**KFR-140DW:** 400V~3N, 50Hz, Cooling rated input: 4800W/8.5A, Heating rated input: 4500W/8A, R407C/3200g, Class I, IP 24(outdoor unit), Compressor model: C-SBN373H8A (Sanyo)

**KF-140DW:** 400V~3N, 50Hz, Cooling rated input: 4800W/8.5A, R407C/3200g, Class I, IP 24(outdoor unit), Compressor model: C-SBN373H8A (Sanyo)



**Intertek, ETL SEMKO**

Building No.86, 1198 Qinzhou Road (North), Shanghai 200233, China  
Tel: 86 21 6495 6565 Fax: 86 21 6495 6263 [www.intertek-etlsemko.com](http://www.intertek-etlsemko.com)